

# Cisco SA 500 Series Security Appliances

An All-in-One Security Solution to Secure Your Small Business

The Cisco® SA 500 Series Security Appliances, part of the Cisco Small Business Pro Series, are comprehensive gateway security solutions that combine firewall, VPN, and optional web and email security capabilities, helping you feel confident that your business is protected and resilient. These easy-to-use security appliances let you control access to network resources, enabling you to protect business data and maximize network uptime. The Cisco SA 500 Series helps increase employee productivity by controlling web access, spam emails, phishing attacks, and other emerging threats, as well as by freeing IT resources from virus eradication and system cleanup activities. With the Cisco SA 500 Series, you can safely deploy new business applications without opening up security holes. Mobile employees and business partners can also securely connect to your network over the Internet using IP Security (IPsec) or Secure Sockets Layer (SSL) VPN services. With a Cisco SA 500 Series solution protecting your network, you can focus on growing your business without worrying about the latest security threats.

### Challenge

The Internet has become a critical business tool for organizations of all sizes, offering new opportunities for business growth and allowing partners and remote workers to access the business network via VPN connections. But it is also a conduit for threats to enter a company's network, and these threats can have a significant negative impact:

- Unauthorized access can lead to loss of company data, unplanned downtime, and related liability concerns.
- Viruses can infect systems, bringing them down and resulting in outages and lost revenue.
- Spam and phishing create a nuisance and contribute to a loss of employee productivity.
- Spyware provides a direct inside view of your network and data that can lead to identity theft and business data loss.
- Browsing of non-work-related and harmful websites leads to lost productivity, exposure to viruses and spyware, and possible legal issues involving employees.

### Solution

The Cisco SA 500 Series provides small companies with comprehensive gateway security and VPN connectivity. With its combined firewall, email, and web security capabilities, the Cisco SA 500 Series stops threats before they enter the network and affect business operations. The Cisco SA 500 Series:

- Allows valid business traffic to flow while keeping out unwelcome visitors. It also supports a
  demilitarized zone (DMZ) to safely host file, web, and other Internet-accessible servers without exposing the
  business's internal LAN network to threats.
- Provides full-strength email and web protection at full speed: With robust content security capabilities
  delivered via the optional Trend Micro ProtectLink Gateway subscription offering, the Cisco SA 500 Series
  provides critical perimeter security services for comprehensive protection:
  - Full strength protection at full speed: ProtectLink Gateway services are delivered via a unique cloud-based approach. Emails destined for your small business are first inspected by Trend Micro, using enterprise-class inspection capabilities to stop a greater range of threats. For example, ProtectLink Gateway will scan your emails for more than 3 million different virus patterns and more than 400,000 spyware patterns. Additional antispam technology is provided via 10 different inspection technologies that

evaluate not just the sender's network address reputation, but also the actual content of the email itself. Other small business products cannot make similar claims. In addition to the security benefits this approach provides, it avoids the compromise many other vendors make of having to slow down the bandwidth of traffic in order to inspect email and web content. With ProtectLink Gateway, more threats are stopped before they get to your business, without affecting bandwidth.

- Antivirus: Award-winning antivirus technology shields your internal network resources from both known
  and unknown virus attacks, at the most effective point in your infrastructure, the Internet gateway. Filtering
  your email and web traffic at the perimeter eliminates the need for resource-intensive cleanup of an
  infection and helps ensure business continuity.
- Antispyware: Blocking spyware at the gateway prevents it from entering your network through Internet traffic (HTTP and FTP) and email, avoiding costly spyware removal procedures and improving employee productivity.
- Antispam: Effective blocking of spam, with very low false positives, helps restore the effectiveness of email, so that communication with customers, vendors, and partners continues uninterrupted.
- Antiphishing: Identity theft protection guards against phishing attacks, thereby preventing employees from inadvertently disclosing company or personal details that could lead to financial loss.
- URL filtering: Web and URL filtering can be used to control employee Internet usage by blocking access
  to inappropriate or non-work-related websites, improving employee productivity and limiting the risk of legal
  action by employees exposed to offensive web content.
- Increases the security of remote access: With support for VeriSign VIP services, the Cisco SA 500 Series
  provides two-factor authentication and one-time-use password access control for an increased level of
  remote access security without the need to purchase any additional authentication equipment.
- Offers easy deployment and management: The Cisco SA 500 Series can be managed via the embedded Security Appliance Configuration Utility, a powerful yet easy-to-use browser-based management and monitoring interface. This single solution provides comprehensive configuration and monitoring of all the services in a single application. The Security Appliance Configuration Utility can also be launched from Cisco Configuration Assistant. In addition, the Cisco SA 500 Series supports Simple Network Management Protocol (SNMP) monitoring.

Figures 1 and 2 show the interfaces for Cisco Configuration Assistant and the Security Appliance Configuration Utility.

\*\*C570 : Cisco Configuration Assistant

System Window Help

\*\*Topology View

\*\*Topology Vie

Figure 1. Cisco Configuration Assistant Interface

Figure 2. Security Appliance Configuration Utility Interface



### **Business Benefits**

The Cisco SA 500 Series Security Appliances provide security and connectivity that help you:

- Support evolving business needs: Safely deploy new applications by providing advanced application-layer security services for a wide range of popular applications, including web-based applications, email, voice over IP (VoIP), video, and multimedia applications.
- Enhance authentication security for remote users: Prevent unauthorized access to your business network by using hardware- or software-generated one-time-use passwords.
- **Increase employee productivity:** Prevent the loss of employee productivity by preventing spam, spyware, and inappropriate web browsing using the Trend Micro ProtectLink Gateway optional service.
- Improve business resiliency: Prevent disruption of business-critical applications and services due to security breaches by implementing a robust business-grade firewall along with support for email and web security.
- **Reduce IT costs:** Free up IT support resources and avoid the costly process of cleaning up infections due to spyware, viruses, and other malware by preventing them from occurring.
- Enable easy-to-deploy remote access: Allow employees and partners to quickly and easily connect to the business with SSL VPN.
- Achieve operational efficiency: Reduce costs associated with deployment and ongoing management and monitoring of the security solution by using a single, easy-to-install, easy-to-use solution.
- Decrease liability: Reduce the company's exposure to liability related to compromised data or inadequate
  corporate controls by implementing comprehensive access control and threat protection services in a single
  device.
- Enjoy peace of mind: Get maximum value from your Cisco solution through an affordable, subscriptionbased service offering. The Cisco Small Business Pro Service provides software upgrades and updates, extended access to the Cisco Small Business Support Center, and next-business-day hardware replacement.

These benefits make the Cisco SA 500 Series Security Appliance the right choice to address your security needs and enable your network and employees to deliver maximum value to your business.

Figure 3 shows the Cisco SA 500 Series Security Appliance with and without wireless connectivity.

Figure 3. Cisco SA 500 Series Security Appliances, the SA 520W and the SA 520



# **Product Specifications**

Table 1 gives the product specifications for the Cisco SA 500 Series.

 Table 1.
 Cisco SA 500 Series Security Appliance Models and Specifications

	SA 520	SA 520W	SA 540	
Firewall	OA 320	OA 32011	0.7.040	
Stateful packet inspection throughput*	200 Mbps	200 Mbps	300 Mbps	
Unified threat management (UTM) throughput	200 Mbps	200 Mbps	300 Mbps	
Connections	15,000	15,000	40,000	
Rules	100	100	100	
Schedules	Yes	Yes	Yes	
VPN	163	163	163	
Triple Data Encryption Standard (3DES)/ Advanced Encryption Standard (AES) VPN throughput*	65 Mbps	65 Mbps	85 Mbps	
IPsec VPN tunnels	50 max	50 max	100 max	
SSL VPN tunnels	2 seats included; license required to upgrade to 25 seats (max)	2 seats included; license required to upgrade to 25 seats (max)	50 seats (max) included	
Dead peer detection	Yes	Yes	Yes	
IPsec Network Address Translation (NAT) traversal	Yes	Yes	Yes	
NetBIOS broadcast over VPN	Yes	Yes	Yes	
Trend Micro ProtectLink Gateway				
URL filtering	80+ categories	80+ categories	80+ categories	
Web threat protection	Yes	Yes	Yes	
Antispam protection	Yes	Yes	Yes	
Virus patterns	More than 3 million	More than 3 million	More than 3 million	
Spyware patterns	More than 420,000	More than 420,000	More than 420,000	
Wireless				
802.11b/g/n	No	Yes	No	
2 x 3 multiple input, multiple output (MIMO)	No	Yes	No	
2.4 GHz	No	Yes	No	
Wi-Fi Multimedia (WMM) quality of service (QoS)	No	Yes	No	
Unscheduled automatic power save delivery (U-APSD) (WMM Power Save [WMM-PS])	No	Yes	No	
MAC filtering	No	Yes	No	

Wired Equivalent Privacy (WEP), Wi-Fi Protected Access Pre-Shared Key (WPA2- PSK), WPA2-ENT	No	Yes	No		
Basic service set identifier (BSSID) or virtual access points	No	Yes; 4 supported	No		
Ability to dynamically or manually adjust transmit power	No	Yes	No		
Wi-Fi Protected Setup (WPS)	No	Yes	No		
Other					
Routing	Static, Routing Information Protocol (RIP) v1, v2	Static, RIP v1, v2	Static, RIP v1, v2		
VLANs	16	16	16		
IPsec/Point-to-Point Tunneling Protocol (PPTP)/Layer 2 Tunneling Protocol (L2TP) pass-through	Yes	Yes	Yes		
Message digest	MD5/SHA1/SHA2	MD5/SHA1/SHA2	MD5/SHA1/SHA2		
Encryption	DES/3DES/AES	DES/3DES/AES	DES/3DES/AES		
User database	100	100	400		
Dynamic DNS (DDNS)	Yes	Yes	Yes		
Load balancing	Yes	Yes	Yes		
Integrated and automated failover and failback	Yes, using optional port for dual WAN	Yes, using optional port for dual WAN	Yes, using optional port for dual WAN		
VeriSign VIP support	Yes	Yes	Yes		
Physical interfaces	All Ethernet ports 10BASE-T, 100BASE-TX, 1000BASE-T capable  4 LAN ports  1 WAN port  1 optional port for use as LAN, WAN, or DMZ port  1 USB 2.0 port  1 power switch	All Ethernet ports 10BASE-T, 100BASE-TX, 1000BASE-T capable  4 LAN ports  1 WAN port  1 optional port for use as LAN, WAN, or DMZ port  1 USB 2.0 port  1 power switch  3 external antennas	All Ethernet ports 10BASE-T, 100BASE-TX, 1000BASE-T capable  8 LAN ports  1 WAN port  1 optional port for use as LAN, WAN, or DMZ port  1 USB 2.0 port  1 power switch		
Environmental operating temperature	32º to 104ºF (0º to 40ºC)	32º to 104ºF (0º to 40ºC)	32º to 104ºF (0º to 40ºC)		
Storage temperature	-4º to 158♥ (-20º to 70℃)	-4º to 158℉ (-20º to 70℃)	-4° to 158年 (-20° to 70℃)		
Internal Power Supply					
Voltage range	90 to 264 VAC single phase	90 to 264 VAC single phase	90 to 264 VAC single phase		
Input frequency	47 to 63 Hz	47 to 63 Hz	47 to 63 Hz		
Output voltage regulation	11.4V ~ 12.6V	11.4V ~ 12.6V	11.4V ~ 12.6V		
Output current	Max 2.5A	Max 2.5A	Max 2.5A		
Physical Specifications	Physical Specifications				
Form factor	1 RU, 19-in. rack mountable	1 RU, 19-in. rack mountable	1 RU, 19-in. rack mountable		
Dimensions (H x W x D)	1.73 x 12.12 x 7.08 inches (44 x 308 x 180 mm)	1.73 x 12.12 x 7.08 inches (44 x 308 x 180 mm)without antennas	1.73 x 12.12 x 7.08 inches (44 x 308 x 180 mm)		
Weight (with internal power supply)	4.91 lb (2.23 kg)	5.15 lb (2.34 kg)	5.14 lb (2.34 kg)		

<sup>\*</sup> Performance test methodology: Maximum performance based on RFC 2544. All results are aggregate bidirectional. Actual performance may vary upon network environment and configuration.

### **Ordering**

Table 2 lists the part numbers for Cisco SA 500 Series Security Appliances.

Table 2. Product Part Numbers

Product Name	SKU
SA 520 Security Appliance	SA520-K9
SA 520W Security Appliance	SA520W-K9
SA 540 Security Appliance	SA540-K9
eDelivery Trend Micro ProtectLink Gateway incremental 5-seat license	L-PLGW-5=
eDelivery Trend Micro ProtectLink Gateway incremental 25-seat license	L-PLGW-25=
eDelivery Trend Micro ProtectLink Gateway incremental 5-seat license renewal	L-PLGW-5R=
eDelivery Trend Micro ProtectLink Gateway incremental 25-seat license renewal	L-PLGW-25R=
eDelivery SSL license for SA 520 and SA 520W	L-FL-SSL-SA520-K9=
Cisco Small Business Pro Service, 3 years	CON-SBS-SVC2

### **Secure Connectivity for Your Business**

The network is becoming a key part of your most important business operations. To keep your business running at its best, and to give customers the service they expect, you need a network that is secure, powerful, and flexible. The Cisco SA 500 Series Security Appliances help make communications easier by connecting customers to your business and your employees to each other. The appliances deliver the solid security, secure VPN access, and advanced routing you need. At the same time, they help you control costs, reduce your need for separate network equipment, and simplify network management. Whether you are starting up a small business or expanding a successful one, the Cisco SA 500 Series Security Appliances can help you get connected today and grow smoothly in the future.

## Service and Support

The Cisco SA 500 Series Security Appliances are backed by the Cisco Small Business Pro Service, which provides affordable coverage that offers peace of mind. This subscription-based service helps you derive maximum value from Cisco Small Business Pro Series products. Delivered by Cisco, this comprehensive service includes software upgrades and updates, extended access to the Cisco Small Business Support Center, and next-business-day hardware replacement as necessary. It provides community-based support to enable small businesses to share knowledge and collaborate using online forums and wikis to help boost business efficiency, identify and reduce risks, and serve customers better.

### For More Information

For more information about the Cisco SA 500 Series Security Appliances, visit <a href="http://www.cisco.com/go/sa500">http://www.cisco.com/go/sa500</a> or contact your local Cisco provider.

For more information about the Trend Micro ProtectLink Gateway product, visit <a href="http://www.cisco.com/go/protectlink">http://www.cisco.com/go/protectlink</a> or contact your local Cisco provider.

For more information about the VeriSign VIP product, visit <a href="http://www.cisco.com/go/viptoken">http://www.cisco.com/go/viptoken</a> or contact your local Cisco provider.

For more information about the Cisco Small Business Pro Service, visit http://www.cisco.com/go/proservice.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, CCSI, Cisco Eos, Cisco HealthPresence, Cisco IronPort, the Cisco Iogo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco StackPower, Cisco StackIrone, Cisco TelePresence, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flip Video, Flip Video (Design), Flipshare (Design), Flip Ultra, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Store, and Flip Gift Card are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIC, CCINA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0907R)

Printed in USA C78-542899-01 08/09